

14.

14.1

	IMO (IMO Type Tank)
3 ~ 9 ( 2 )	IMO 1 (IMO type 1 tank) 3 ~ 9 가 , MAWP가 1.75bar
	IMO 2 (IMO type 2 tank) 가 , MAWP가 1.0bar 1.75bar
	IMO 4 (IMO type 4 tank) 3 ~ 9 .
가	IMO 5 (IMO type 5 tank) 2 가 . 가
	IMO 6 (IMO type 6 tank) 2 가 .
가	IMO 7 (IMO type 7 tank) 2 가 . 가
	IMO 8 (IMO type 8 tank) 2 가 .

MAWP (Maximum Allowable Working Pressure) .

14.2

1 ( ) , 5  
(5 ) , 5 (2.5 ) .  
2.5 3 .  
5 2.5 .

14.3

가 IMDG Code  
(DGL) . (T1~T75),  
가 DGL .  
- ( : TP1) .  
가 T50 . 가  
T75 .

14.4

가

T1	T2, T3, T4, T5, T6, T7, T8, T9, T10, T11, T12, T13, T14, T15, T16, T17, T18, T19, T20, T21, T22
T2	T4, T5, T7, T8, T9, T10, T11, T12, T13, T14, T15, T16, T17, T18, T19, T20, T21, T22
T3	T4, T5, T6, T7, T8, T9, T10, T11, T12, T13, T14, T15, T16, T17, T18, T19, T20, T21, T22
T4	T5, T7, T8, T9, T10, T11, T12, T13, T14, T15, T16, T17, T18, T19, T20, T21, T22
T5	T10, T14, T19, T20, T22
T6	T7, T8, T9, T10, T11, T12, T13, T14, T15, T16, T17, T18, T19, T20, T21, T22
T7	T8, T9, T10, T11, T12, T13, T14, T15, T16, T17, T18, T19, T20, T21, T22
T8	T9, T10, T13, T14, T19, T20, T21, T22
T9	T10, T13, T14, T19, T20, T21, T22
T10	T14, T19, T20, T22
T11	T12, T13, T14, T15, T16, T17, T18, T19, T20, T21, T22
T12	T14, T16, T18, T19, T20, T22
T13	T14, T19, T20, T21, T22
T14	T19, T20, T22
T15	T16, T17, T18, T19, T20, T21, T22
T16	T18, T19, T20, T22
T17	T18, T19, T20, T21, T22
T18	T19, T20, T22
T19	T20, T22
T20	T22
T21	T22
T22	
T23	

14.5 3 ~ 9

T1~T22				T1~T22
	(bar)	(mm- ) ( 6.7.2.4 )	( 6.7.2.8 )	( 6.7.2.6 )
T1	1.5	6.7.2.4.2		6.7.2.6.2
T2	1.5	6.7.2.4.2		6.7.2.6.3
T3	2.65	6.7.2.4.2		6.7.2.6.2
T4	2.65	6.7.2.4.2		6.7.2.6.3
T5	2.65	6.7.2.4.2	6.7.2.8.3	
T6	4	6.7.2.4.2		6.7.2.6.2
T7	4	6.7.2.4.2		6.7.2.6.3
T8	4	6.7.2.4.2		
T9	4	6mm		
T10	4	6mm	6.7.2.8.3	
T11	6	6.7.2.4.2		6.7.2.6.3
T12	6	6.7.2.4.2	6.7.2.8.3	6.7.2.6.3
T13	6	6mm		
T14	6	6mm	6.7.2.8.3	
T15	10	6.7.2.4.2		6.7.2.6.3
T16	10	6.7.2.4.2	6.7.2.8.3	6.7.2.6.3
T17	10	6mm		6.7.2.6.3
T18	10	6mm	6.7.2.8.3	6.7.2.6.3
T19	10	6mm	6.7.2.8.3	
T20	10	8mm	6.7.2.8.3	
T21	10	10mm		
T22	10	10mm	6.7.2.8.3	

6.7.2.4.2 : 1.8m 5mm , 1.8m  
6mm , II III  
5mm .

6.7.2.8.3 : 가 .  
가 ,  
가 .

6.7.2.6.2 : ,  
2 가 . ,  
1) 가 , 가 ;  
2) .

6.7.2.6.3 : 3 가

- 1) (1) ;  
(2) ;  
(3) 가 , ;  
(4) 가 (1,000 가 ) ;  
(5) 가 가 .
- 2) 가 가 .
- 3) .

: 가 .  
1 .

#### 14.6 3 ~ 9

- 1) 20 가 3 ~ 9 ;  
20% 80% , 2,680mm<sup>2</sup>/s 가 7,500 ;
- 2) ;
- 3) ;
- 4) 가 ; 가 .

#### 14.7 가

- 1) 가 :  
(surge) ;
- 2) ;
- 3) ;
- 4) 가 .

**14.8 가**

- 가 :
- 1) (surge)
- 2) ;
- 3) ;
- 4) 가 ;
- 5) 가 (actual holding time)
- 6) , ;

**: IMDG Code(Amdt. 31-02)**